



The research carried out by Adeo on tensioning systems has reached a new record, crossing the threshold of the 3.5 m base with the Alumid screen. Marked by the quality of its in-built roller and solidity of the entire structure, this screen can be used in the Tensio version. The CTS (Constant Tensio System) provides constant self-tensioning through time, obtained through two counterweights hooked onto hinges at the ends of the screen's base, which tension the rigid cables threaded through the lateral eyelets. During screen rolling the eyelets remain outside the edge of the surface, thus avoiding the formation of annoying creases

A must for providing high quality projection even in large-scale environments and in the presence of a vast audience.



See page 72  
for Technical data

#### Create your own screen with the PSS

- > **Personalized dimensions:** width and height
- > **Roller type:** standard motorized and radio integrated
- > **Case:** available only with case
- > **Case color:** available in white, black or custom color
- > **Height of Top:** from 10 to 45 cm
- > **Projection surface fall:** front or rear with optional reverse-roll installation
- > **Side of command/motor:** right or left

#### Projection Surfaces (see page 6)

- > ReferenceWhite / ReferenceGrey
- > VisionWhite / VisionWhitePro
- > VisionAcoustik / VisionMacroAcoustik
- > VisionRear DB / VisionRear only without black borders

#### Surfaces Fireproof Certifications



#### Standard Accessories

- > Kit with wall or ceiling mount brackets
- > Unipolar selector switch
- > Remote control (only for radio-integrated version)

#### PSS Formats

1.33:1	1.60:1	1.78:1	2.35:1	2.37:1	2.40:1
4:3	16:10	16:9	21:9		

#### Optional Accessories

- > Extension brackets for screens up to 60 cm
- > Receiver and RF remote control for motorized screen (3 modalities: basic, automatic and compatible with domotic systems)
- > Receiver and infrared remote control

**Alumid** Tensio CTS 50 mm borders/without borders

Aspect Ratio	Viewing Width		Viewing Height	Diagonal Inches		Overall Width		Overall Height		Surface Width		Surface Height		Standard Drop	Total Maximum Drop	Packaging Dimensions		Net Weight	Gross Weight
	C	D	N	A	B	F	G	P	mm	mm	kg	kg							
<b>1,33</b> <b>(4:3)</b>	3630	2729	<b>179</b>	4060	3055	3730	2879	100	200	4250x200x210	36	42							
	4130	3105	<b>203</b>	4560	3431	4230	3255	100	200	4750x200x210	41	45							
<b>1,78</b> <b>(16:9)</b>	3630	2039	<b>164</b>	4060	2365	3730	2189	100	450	4250x200x210	35	41							
	4130	2320	<b>187</b>	4560	2646	4230	2470	100	450	4750x200x210	40	46							
<b>2,37</b>	3630	1532	<b>155</b>	4060	1858	3730	1682	100	450	4250x200x210	35	41							
	4130	1743	<b>176</b>	4560	2069	4230	1893	100	450	4750x200x210	40	46							

